


# Latitude™

## Exterior Perimeter Light



### FEATURES

- LED flashing warning light models are suitable for both interior and exterior applications
- Flashing models available in 4-, 6-, or 8-head
- (3) LEDs per light head
- Innovative co-extrusion, polycarbonate housing provides moisture resistance
- Optimal mounting brackets and shrouds available
- Five-year warranty

### A Complement to Any Warning Solution

Latitude™ series offers the flexibility needed to complement any warning solution. Equipped with (3) LEDs per position and Federal Signal's Solaris® LED reflectors, Latitude delivers impressive optical performance for your police car, command vehicle or work truck. The warning light is available in 4-, 6-, and 8-head flashing models.

### Warning Capabilities

Latitude flashing models are programmed with (10) eye-catching flash patterns plus one test pattern.

### A Simple Concept You Can Depend On

Built to last, the Latitude is engineered with the exclusive ROC (Reliable On-Board Circuitry™) technology. ROC eliminates failure points found in similar warning products. Available for both interior and exterior applications, this sensible warning light is built with an innovative co-extrusion, polycarbonate housing to provide moisture resistance.

### APPROVALS

- SAE J845 Class 2 (Blue, Amber)
- SAE J845, Class 1 (Red)
- SAE J595, Class 1
- CCR Title 13, Class B

### FS TECHNOLOGIES



## COMPARISON

	FLASHING
SUITABLE FOR INTERNAL AND EXTERNAL APPLICATIONS	Yes
SOLARIS® REFLECTORS	Yes
ROC (RELIABLE ON-BOARD CIRCUITRY™ TECHNOLOGY)	Yes
SIZE OF MODELS	4-, 6-, and 8-head
SIGNALMASTER FUNCTION	N/A
ABILITY TO FLASH	Yes
NUMBER OF FLASH PATTERNS	(10) flash patterns

## COMPLIANCE

	SAE J845		SAE J595	CCR TITLE 13
	CLASS	COVERAGE	CLASS	
AMBER	2	45°	1	Class B
BLUE	2	40°	1	Class B
RED	1	40°	1	Class B

## SPECIFICATIONS

LED Color: A B R W Lens Color: C

	4-HEAD	6-HEAD	8-HEAD
VOLTAGE		12 Vdc	
AMP DRAW	2 A	3 A	4 A
OPERATING TEMP.	-22° to +149° F (-30° to +65° C)		
<b>PHYSICAL SPECIFICATIONS LIGHT HEAD</b>			
LENGTH	1.1 in (2.9 cm)	1.1 in (2.9 cm)	1.3 in (2.9 cm)
WIDTH	16.9 in (42.9 cm)	24.2 in (61.5 cm)	31.8 in (80.5 cm)
HEIGHT	2.6 in (6.7 cm)	2.6 in (6.7 cm)	2.6 in (6.7 cm)
<b>SHIP WEIGHT</b>			
	3.1 lb (1.4 kg)	3.8 lb (1.7 kg)	4.0 lb (1.8 kg)

**MOUNTING BRACKETS**



**320310**  
Flush mount, vertical surface



**SLB-001**  
Long L-bracket



**320320**  
Lightbar or rear deck mount



**SLB-002**  
Short L-bracket



**320330**  
System mount



**SLB-FRD15ND**  
8-head rear headliner bracket, no drill,  
Ford F-150 2015-2024, Lightning 2022-2024,  
and Super Duty 2017-2024



**320340**  
Universal mount



**SLB-SIL19ND**  
8-head bracket for CN SignalMaster or  
Latitude, no drill, Chevrolet Silverado  
2019-2024



**320350**  
Foot adapter mount

## HOW TO ORDER

### 4-HEAD FLASHING MODEL, 16.9 INCH LENGTH

SL4F-2R2B	(2) Red LED reflectors, (2) Blue LED reflectors (alternating) R-B-R-B
SL4F-RB	(2) Red LED reflectors, (2) Blue LED reflectors, R-R-B-B
SL4F-R	(4) Red LED reflectors, R-R-R-R-R
SL4F-B	(4) Blue LED reflectors, B-B-B-B
SL4F-A	(4) Amber LED reflectors, A-A-A-A

### 6-HEAD FLASHING MODEL, 24.2 INCH LENGTH

SL6F-RB	(3) Red LED reflectors, (3) Blue LED reflectors, R-R-R-B-B-B
SL6F-R	(6) Red LED reflectors, R-R-R-R-R-R
SL6F-BR	(3) Blue LED reflectors, (3) Red LED reflectors, B-B-B-R-R-R
SL6F-B	(6) Blue LED reflectors, B-B-B-B-B-B
SL6F-AW	(3) Amber LED reflectors, (3) White LED reflectors, A-A-A-W-W-W
SL6FF-RW	(3) Red light heads, (3) White light heads, R-W-R-W-R-W (includes white light cut-off option)
SL6F-A	(6) Amber LED reflectors, A-A-A-A-A-A

### 8-HEAD FLASHING MODEL, 31.8 INCH LENGTH

SL8F-RB	(4) Red LED reflectors, (4) Blue LED reflectors, R-R-R-R-B-B-B-B
SL8F-R	(8) Red LED reflectors, R-R-R-R-R-R-R-R
SL8F-B	(8) Blue LED reflectors, B-B-B-B-B-B-B-B
SL8F-A	(8) Amber LED reflectors, A-A-A-A-A-A-A-A
SL8F-BR	(4) Blue LED reflectors, (4) Red LED reflectors, B-B-B-B-R-R-R-R
SL8F-4R4B	(4) Red LED reflectors, (4) Blue LED reflectors (alternating) R-B-R-B-R-B-R-B
SL8F-AW	(4) Amber LED reflectors, (4) White LED reflectors, A-A-A-A-W-W-W-W
SL8F-BA	(4) Blue LED reflectors, (4) Amber LED reflectors, B-B-B-B-A-A-A-A



Latitude, SignalMaster, Solaris, and ROC (Reliable Onboard Circuitry) are trademarks of Federal Signal Corporation.