


Latitude Signal Master

Directional Warning Light



FEATURES

- LED directional warning stick light
- Available in 6- or 8-head models
- (3) LEDs per position
- Interior and exterior mounting brackets are available; compatible with Federal Signal's SignalMaster brackets
- Innovative co-extrusion, polycarbonate housing provides moisture resistance
- Each model includes left, right, and center-out warning signals
- Five-year warranty

A Complement To Any Warning Solution

LatitudeTM SignalMasterTM is an addition to Federal Signal's family of SignalMaster directional lights. Equipped with (3) LEDs per position and Federal Signal's Solaris[®] LED reflectors, the Latitude SignalMaster delivers impressive optical performance for your vehicle. This directional stick light is available as a 6-head (24-inch) and 8-head (32-inch and 48-inch) model suitable for many vehicle applications.

Latitude SignalMaster includes the economy SignalMaster controller that allows for easy installation. The controller operates the built-in warning signals of left, right, and center-out for rear traffic direction.

A Simple Concept You Can Depend On

Built to last, the Latitude is engineered with ROC (Reliable On-Board Circuitry_m) technology. ROC eliminates failure points found in similar warning products. Available for both interior and exterior applications, this sensible warning light is built with an innovative co-extrusion, polycarbonate housing for moisture resistance. Latitude SignalMaster is compatible with SignalMaster brackets. Both interior and exterior brackets are available.

APPROVALS

- SAE J595 Class 1
- SAE J845 Class 2
- CCR Title 13

FS TECHNOLOGIES





SL8S-A48



COMMON REPLACEMENT PART

Economy controller

Z8573327A


HOW TO ORDER

6-HEAD MODEL			
SL6S-A	24-inch, 6-head Amber, SignalMaster economy controller, 30-ft cable		
8-HEAD MODELS			
SL8S-A	32-inch, 8-head Amber, SignalMaster economy controller, 30-ft cable		
SL8S-A-50	32-inch, 8-head Amber, SignalMaster economy controller, 50-ft cable		
SL8S-A48	48-inch, 8-head Amber, SignalMaster economy controller, 30-ft cable		
SL8S-A48-50	48-inch, 8-head Amber, SignalMaster economy controller, 50-ft cable		
SIGNALMASTER MODELS WITH FLASHING ENDS (DOES NOT INCLUDE CONTROLLER)			
SL8C-RAB	(1) Red LED reflector, (6) Amber LED reflectors, (1) Blue LED reflector, R-A-A-A-A-A-B		
SL8C-RAR	 Red LED reflector, (6) Amber LED reflectors, Red LED reflector, R-A-A-A-A-A-A-R 		

SPECIFICATION	NS LED Color Lens Color			
	SL6S-A	SL8S-A SL8C	SL8S-A48	
OPERATING VOLTAGE		12 Vdc		
CURRENT DRAW*	3 A	4 A	4 A	
OPERATING TEMP	-22° to +149° F (-30° to +65° C)			
PHYSICAL SPECIFICATIONS				
LENGTH	24.1 in (61.2 cm)	31.6 in (80.3 cm)	48.0 in (121.9 cm)	
WIDTH	2.6 in (6.6 cm)	2.6 in (6.6 cm)	2.6 in (6.6 cm)	
HEIGHT	1.2 in (3.0 cm)	1.2 in (3.0 cm)	1.2 in (3.0 cm)	
SHIP WEIGHT				
	3.8 lb (1.7 kg)	4.0 lb (1.8 kg)	5.0 lb (2.3 kg)	

* Current draw based on a 50% flash rate





SL8S-A48



LATITUDE BRACKETS



320310 Flush mount, vertical surface



320320 Double L-bracket for light bar or rear deck mount



SLB-001 Long L-bracket



SLB-002 Short L-bracket

SLB-FRD15ND



320330 System mount





320340 Universal mount



No drill mount, Ford F-150 2015-2024,

Lightning 2022-2024, and Super Duty 2017-2022

SLB-SIL19ND No drill mount, Chevy Silverado 2019-2024



320350 Foot adapter mount

